

Refine Search

Search Results -

| Term | Documents |
|------------------------------|-----------|
| MULTIPLEXER | 72178 |
| MULTIPLEXERS | 25014 |
| (76 AND MULTIPLEXER).USPT. | 2 |
| (L76 AND MULTIPLEXER).USPT. | 2 |

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L77

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Monday, May 16, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

DB=USPT; PLUR=YES; OP=ADJ

| | |
|------------|--|
| <u>L77</u> | L76 and multiplexer |
| <u>L76</u> | L75 and allocation |
| <u>L75</u> | L74 and decoding |
| <u>L74</u> | L73 and receiver and frequency |
| <u>L73</u> | frequency adj block and broadband adj signal |
| <u>L72</u> | frequency adj block and plurality adj broadband |
| <u>L71</u> | L70 and tuning |
| <u>L70</u> | L69 and backup |
| <u>L69</u> | L67 and inputs |
| <u>L68</u> | L67 and plurality adj inputs |
| <u>L67</u> | frequency adj block and backbone and receivers and broadband |

Hit Count Set Name

result set

| | |
|----|------------|
| 2 | <u>L77</u> |
| 3 | <u>L76</u> |
| 7 | <u>L75</u> |
| 27 | <u>L74</u> |
| 28 | <u>L73</u> |
| 0 | <u>L72</u> |
| 0 | <u>L71</u> |
| 3 | <u>L70</u> |
| 7 | <u>L69</u> |
| 0 | <u>L68</u> |
| 9 | <u>L67</u> |

| | | | |
|------------|---|------|------------|
| <u>L66</u> | frequency adj block and common adj backbone | 0 | <u>L66</u> |
| <u>L65</u> | L63 and backbone | 0 | <u>L65</u> |
| <u>L64</u> | L63 and bus | 0 | <u>L64</u> |
| <u>L63</u> | L62 and frequency | 1 | <u>L63</u> |
| <u>L62</u> | L61 and multiplexer | 2 | <u>L62</u> |
| <u>L61</u> | plurality adj broadband adj signals and inputs | 6 | <u>L61</u> |
| <u>L60</u> | L59 and modem | 1 | <u>L60</u> |
| <u>L59</u> | L57 and cable adj TV | 2 | <u>L59</u> |
| <u>L58</u> | L57 and cable adj television adj modem | 0 | <u>L58</u> |
| <u>L57</u> | broadband adj signal adj inputs | 17 | <u>L57</u> |
| <u>L56</u> | broadband adj signal adj inputs and cable adj modem | 0 | <u>L56</u> |
| <u>L55</u> | L54 and frequency adj allocation | 2 | <u>L55</u> |
| <u>L54</u> | L53 and frequency | 6 | <u>L54</u> |
| <u>L53</u> | L52 and multiplexer | 6 | <u>L53</u> |
| <u>L52</u> | L51 and allocation | 8 | <u>L52</u> |
| <u>L51</u> | L50 and frequency adj block | 11 | <u>L51</u> |
| <u>L50</u> | L49 and bus | 904 | <u>L50</u> |
| <u>L49</u> | broadband and signal adj inputs | 3928 | <u>L49</u> |
| <u>L48</u> | L46 and tune | 0 | <u>L48</u> |
| <u>L47</u> | L46 and tuning | 0 | <u>L47</u> |
| <u>L46</u> | L45 and frequency and multiplexer | 8 | <u>L46</u> |
| <u>L45</u> | back-up adj receiver and broadband | 9 | <u>L45</u> |
| <u>L44</u> | back-up adj receiver and broadband adj input | 0 | <u>L44</u> |
| <u>L43</u> | backup adj receiver and broadband adj input | 0 | <u>L43</u> |
| <u>L42</u> | L40 and backup adj receiver | 0 | <u>L42</u> |
| <u>L41</u> | L39 and back-up adj reciever | 0 | <u>L41</u> |
| <u>L40</u> | L39 and tuning | 4 | <u>L40</u> |
| <u>L39</u> | L37 and frequency and block | 5 | <u>L39</u> |
| <u>L38</u> | L37 and frequency adj block | 0 | <u>L38</u> |
| <u>L37</u> | L36 and receiver | 5 | <u>L37</u> |
| <u>L36</u> | L35 and allocation | 5 | <u>L36</u> |
| <u>L35</u> | L34 and multiplexer | 12 | <u>L35</u> |
| <u>L34</u> | L33 and bus | 15 | <u>L34</u> |
| <u>L33</u> | broadband adj signals and assigned adj frequency | 57 | <u>L33</u> |
| <u>L32</u> | L31 and multiplexer | 1 | <u>L32</u> |
| <u>L31</u> | L29 and decoding | 1 | <u>L31</u> |
| <u>L30</u> | L29 and decode | 0 | <u>L30</u> |
| <u>L29</u> | L27 and frequency and block | 1 | <u>L29</u> |
| <u>L28</u> | L27 and frequency adj block | 0 | <u>L28</u> |
| <u>L27</u> | L26 and tuning | 1 | <u>L27</u> |
| <u>L26</u> | backup adj receiver and broadband | 3 | <u>L26</u> |

| | | | |
|------------|--|-----|------------|
| <u>L25</u> | back-up adj receiver and broadband | 9 | <u>L25</u> |
| <u>L24</u> | backup adj receiver and broadband adj input | 0 | <u>L24</u> |
| <u>L23</u> | L19 and allocate adj frequency | 0 | <u>L23</u> |
| <u>L22</u> | L19 and frequency adj allocation | 0 | <u>L22</u> |
| <u>L21</u> | L19 and plurality adj receiver | 0 | <u>L21</u> |
| <u>L20</u> | L19 and multiple adj receivers | 0 | <u>L20</u> |
| <u>L19</u> | L17 and tuning | 11 | <u>L19</u> |
| <u>L18</u> | L17 and tuning adj frequency | 0 | <u>L18</u> |
| <u>L17</u> | L15 and decoding | 12 | <u>L17</u> |
| <u>L16</u> | L15 and frequency adj block | 0 | <u>L16</u> |
| <u>L15</u> | L14 and receivers | 13 | <u>L15</u> |
| <u>L14</u> | L13 and allocation and frequency | 15 | <u>L14</u> |
| <u>L13</u> | bus and multiplexer and broadband adj inputs | 30 | <u>L13</u> |
| <u>L12</u> | L11 and bus | 0 | <u>L12</u> |
| <u>L11</u> | L10 and decoding | 3 | <u>L11</u> |
| <u>L10</u> | L9 and receivers | 3 | <u>L10</u> |
| <u>L9</u> | L8 and allocation | 3 | <u>L9</u> |
| <u>L8</u> | L7 and multiplexer | 3 | <u>L8</u> |
| <u>L7</u> | L6 and broadband adj inputs | 4 | <u>L7</u> |
| <u>L6</u> | 370/535.ccls. | 667 | <u>L6</u> |
| <u>L5</u> | 370.535.ccls. | 0 | <u>L5</u> |
| <u>L4</u> | L3 and block | 1 | <u>L4</u> |
| <u>L3</u> | L2 and assigned adj frequency | 1 | <u>L3</u> |
| <u>L2</u> | L1 and allocation and broadband | 6 | <u>L2</u> |
| <u>L1</u> | multiplex adj signals and plurality adj inputs | 236 | <u>L1</u> |

END OF SEARCH HISTORY